

The JAviator Project

Rainer Trummer

Computer Sciences Workshop '07
Department of Computer Sciences
University of Salzburg, Austria

Computational
Systems Group



Introduction

- Collaborative research project of the
 - Computational Systems Group, Department of Computer Sciences, University of Salzburg
 - IBM T. J. Watson Research Center, Hawthorne, New York, USA


- Primary project goals are to
 - develop high-level real-time and concurrent programming abstractions for Java
 - provide an infrastructure that is time-portable
 - verify system on UAV (unmanned aerial vehicle)

Project Issues

- Design and build elaborate UAV platform
- Develop Java-based real-time control system
- Provide required Java real-time capabilities
- Provide time-portability among platforms
- Verify entire system to achieve project goals

The JAviator V1

- Quadrotor model helicopter
 - built of high-quality materials like carbon fiber, aircraft aluminium, and medical titanium
 - equipped with custom-made 3-phase motors





JAviator V1 Symmetry

- Bicycle-wheel concept
 - as underlying frame design pattern
 - offers extremely high mechanical stability
 - enables the usage of very thin and light materials




JAviator V1 vs. JAviator V2



Control System Design

- Requirements:
 - 4 independent controllers to stabilize roll, pitch, yaw, and altitude
 - Controller period in the range of milliseconds
 - Hard real-time software
 - Reliable remote connection between JAviator and ground station
 - Sufficient computing power for autonomous flight
 - Onboard navigation
 - Trajectory control
 - Obstacle recognition

Embedded System




Control Software Design

- Atmega-based C software
 - Time-triggered sensing and actuating
 - Fully deterministic controller behavior



- Exotask-based Java software
 - Real-time software infrastructure
 - Each exotask has its own memory space
 - Each exotask has its own garbage collector
 - Exotask system provides time-portability
 - No change of original Java semantics

The Exotask Editor





First All-Java Flight

- Oct 4, 2006:
 - Spontaneous software test
 - System fully operational
 - First Java-based flight!





1st IBM Demo Session

- Oct 5, 2006:
 - Official demo flights with IBM
 - Real-time tracing of entire system



2nd IBM Demo Session

- May 24, 2007:
 - Demos with improved state-observer controller
 - 3-D environment added



Work In Progress

- Hardware: JAviator version 2
 - Laser for altitude and additional electronics
 - CNC-machined rotor and connecting parts
 - Custom-built high-precision rotor blades

- Software: Trajectory controller
 - Carrier-phase-GPS-based position recognition
 - Ultrasonic-based acquisition of obstacle data
 - Fully autonomous navigation and control

Thank You!

- Project Home Page:

javiator.cs.uni-salzburg.at

- Published Paper:

J. Auerbach, D.F. Bacon, D.T. Iercan, C.M. Kirsch, V.T. Rajan, H. Röck, and R. Trummer. Java Takes Flight: Time-Portable Real-Time Programming with Exotasks. In *Proc. ACM SIGPLAN/SIGBED Conference on Languages, Compilers, and Tools for Embedded Systems (LCTES)*. ACM Press, 2007.